



KEMENTERIAN AGAMA
FAKULTAS ILMU TARBIYAH DAN KEGURUAN
UNIVERSITAS ISLAM NEGERI MAULANA MALIK IBRAHIM MALANG
Jl. Gajayana No. 50 Telp. (0341) 552398, Fax. 552398 Malang Kode Pos 65144
Website: www.fitk.uin-malang.ac.id Email: fitk_uin_maliki@yahoo.com

Nomor : Un.3.1/KS.01.7/ 568 /2014
Lampiran : 1 (satu) bendel
Perihal : **Permintaan Informasi Harga Barang**

20 Oktober 2014

Yth. _____
Di Tempat

Assalamua'laikum wa Rahmatullah wa Barakatuh

Sehubungan rencana realisasi pelaksanaan pekerjaan **Belanja Modal Peralatan dan mesin berupa Sarana Lab Pengembangan Media Pembelajaran yang terdiri dari ; (1)speaker aktif, (2)digital camcorder, (3)mic wireless clip On, (4) CCD camera + rotator, (5)komputer editing, (6)kamera digital BO, (7)lensa, (8) lampu studio, (9) smart interactive board, (10) video mixer 4 channel untuk Fakultas Ilmu Tarbiyah dan Keguruan UIN Maulana Malik Ibrahim Malang**, bersama ini kami bermaksud agar perusahaan Saudara memberikan informasi tentang harga barang sesuai dengan Rencana Anggaran Biaya (RAB) yang kami lampirkan dalam surat ini.

Apabila informasi harga yang Saudara berikan sesuai dan kami nilai wajar, maka kami akan memberi kesempatan perusahaan Saudara untuk membuat penawaran terhadap pekerjaan tersebut.

Kami harap data barang dan harganya dapat kami terima paling lambat pada :

hari, tanggal : Senin, 27 Oktober 2014
waktu : 14.00 WIB
tempat : Fakultas Ilmu Tarbiyah dan Keguruan UIN Maulana Malik Ibrahim Malang
: Atau penawarannya bisa dikirim via e-mail ke : ulp@uin-malang.ac.id
atau ulp_uinmalang@kemenag.go.id atau fitk_uin_maliki@yahoo.com
Telp. Fak. Ilmu Tarbiyah dan Keguruan 0341-552398

Surat tentang informasi harga barang tersebut, ditujukan:

Kepada Yth:

Pejabat Pembuat Komitmen Fakultas Ilmu Tarbiyah dan Keguruan

Universitas Islam Negeri Maulana Malik Ibrahim Malang Jl. Gajayana No. 50 Malang.

Demikian, atas perhatian dan kehadiran bapak/ibu disampaikan terima kasih.

Wassalamua'laikum wa Rahmatullah wa Barakatuh

Pejabat Pembuat Komitmen,

Dr. H. Wahidmurni, M.Pd
NIP. 19690303 200003 1 002

Lampiran : Surat Pejabat Pembuat Komitmen
Nomor : Un.3.1/KS.01.7/ 568 /2014
Tanggal : 20 Oktober 2014
Tentang : Permintaan Informasi Harga Barang

Pekerjaan : Belanja Modal Peralatan dan mesin berupa Sarana Lab Pengembangan Media Pembelajaran yang terdiri dari ; (1)speaker aktif, (2)digital camcorder, (3)mic wireless clip On, (4) CCD camera + rotator, (5)komputer editing, (6)kamera digital BO, (7)lensa, (8) lampu studio, (9) smart interactive board, (10) video mixer 4 channel untuk Fakultas Ilmu Tarbiyah dan Keguruan UIN Maulana Malik Ibrahim Malang,
Lokasi : Fakultas Ilmu Tarbiyah dan Keguruan UIN Maulana Malik Ibrahim Malang
Tahun Anggaran : 2014

NO	NAMA BARANG	SPESIFIKASI	QTY	HARGA SATUAN (Rp)	JUMLAH (Rp)																																
1	Active Speaker	- MP3 Input : Yes - Mic input : 2 - USB Player input : Yes - Active Speaker Big : Yes - Power Source 220v / 50 / 60 Hz - Karaoke with 2 Mic Input - Gadget input - USB Input-Play MP3 - LED Display - Direct Button - XBR Woofer - 3 Way Speaker - Audio Power Output 2 x 80 W - Dimension : 520 x 310 x 710 mm	2 Unit																																		
2	Digital Camcorder	<table><tr><td>Effective Sensor Resolution</td><td>8.9 Megapixels</td></tr><tr><td>Optical Sensor Size and Type</td><td>1x 1/5.8" CMOS Sensor</td></tr><tr><td>Media Format</td><td>SD/SDHC/SDXC Memory Card</td></tr><tr><td>Optical Zoom</td><td>30X</td></tr><tr><td>Digital Zoom</td><td>350X</td></tr><tr><td>35mm Conversion</td><td> • 26.8 - 804 @ Aspect Ratio: 16:9 Video mode • 26.8 - 804 @ Aspect Ratio: 16:9 Photo Mode • 32.8 - 984 @ Aspect Ratio: 4:3 Photo mode </td></tr><tr><td>Lens Aperture</td><td>f/ 1.8 - f/ 4</td></tr><tr><td>White Balance</td><td> • Auto , Indoor 1 • Onepush , Outdoors </td></tr><tr><td>Flash / Light</td><td>Yes</td></tr><tr><td>Display Size</td><td>LCD 2.7"</td></tr><tr><td>Display Resolution</td><td>230,000</td></tr><tr><td>PC Connectivity</td><td>HDMI, USB 2.0, Composite Video, Bravia Sync</td></tr><tr><td>Battery</td><td>Rechargeable Lithium-Ion Battery Pack, 3.6VDC</td></tr><tr><td>Power Consumption</td><td>in LCD Operation: 2.1 W</td></tr><tr><td>Dimensions (WHD)</td><td>2.4 x 2.3 x 4.7" / 61.0 x 59.5 x 119.0 mm</td></tr><tr><td>Weight</td><td>7.58 oz / 215 g</td></tr></table>	Effective Sensor Resolution	8.9 Megapixels	Optical Sensor Size and Type	1x 1/5.8" CMOS Sensor	Media Format	SD/SDHC/SDXC Memory Card	Optical Zoom	30X	Digital Zoom	350X	35mm Conversion	• 26.8 - 804 @ Aspect Ratio: 16:9 Video mode • 26.8 - 804 @ Aspect Ratio: 16:9 Photo Mode • 32.8 - 984 @ Aspect Ratio: 4:3 Photo mode	Lens Aperture	f/ 1.8 - f/ 4	White Balance	• Auto , Indoor 1 • Onepush , Outdoors	Flash / Light	Yes	Display Size	LCD 2.7"	Display Resolution	230,000	PC Connectivity	HDMI, USB 2.0, Composite Video, Bravia Sync	Battery	Rechargeable Lithium-Ion Battery Pack, 3.6VDC	Power Consumption	in LCD Operation: 2.1 W	Dimensions (WHD)	2.4 x 2.3 x 4.7" / 61.0 x 59.5 x 119.0 mm	Weight	7.58 oz / 215 g	1 Unit		
Effective Sensor Resolution	8.9 Megapixels																																				
Optical Sensor Size and Type	1x 1/5.8" CMOS Sensor																																				
Media Format	SD/SDHC/SDXC Memory Card																																				
Optical Zoom	30X																																				
Digital Zoom	350X																																				
35mm Conversion	• 26.8 - 804 @ Aspect Ratio: 16:9 Video mode • 26.8 - 804 @ Aspect Ratio: 16:9 Photo Mode • 32.8 - 984 @ Aspect Ratio: 4:3 Photo mode																																				
Lens Aperture	f/ 1.8 - f/ 4																																				
White Balance	• Auto , Indoor 1 • Onepush , Outdoors																																				
Flash / Light	Yes																																				
Display Size	LCD 2.7"																																				
Display Resolution	230,000																																				
PC Connectivity	HDMI, USB 2.0, Composite Video, Bravia Sync																																				
Battery	Rechargeable Lithium-Ion Battery Pack, 3.6VDC																																				
Power Consumption	in LCD Operation: 2.1 W																																				
Dimensions (WHD)	2.4 x 2.3 x 4.7" / 61.0 x 59.5 x 119.0 mm																																				
Weight	7.58 oz / 215 g																																				

NO	NAMA BARANG	SPESIFIKASI	QTY	HARGA SATUAN (Rp)	JUMLAH (Rp)																													
		Others - System: NTSC - Audio Format: AAC-LC Dolby Digital 2ch - Brightness: 13 Lumens - Shutter Speed: 1/8-1/10000sec Kelengkapan lain : - Tripod set lengkap (leg, Head) Spesifikasi tripod : <table><tr><td>Material</td><td>Aluminum</td></tr><tr><td>Maximum Height</td><td>158cm</td></tr><tr><td>Average Maximum Height</td><td>Up to 150cm</td></tr><tr><td>Minimum Height</td><td>55cm</td></tr><tr><td>Folded Length</td><td>61cm</td></tr><tr><td>Average Folded Length</td><td>Up to 60cm</td></tr><tr><td>Load Capacity</td><td>5kg</td></tr><tr><td>Average Load Capacity</td><td>Up to 5kg</td></tr><tr><td>Leg Sections</td><td>3</td></tr><tr><td>Independent Leg Spread</td><td>Yes</td></tr><tr><td>Spiked Feet</td><td>No</td></tr><tr><td>Weight</td><td>1.7kg</td></tr></table> - Memory 32 Gb Micro SDHC, - Bag / tas Spesifikasi Tas : <table><tr><td>Kesesuaian /Kecocokan</td><td>Mirrorles Camera, Compact DSLR with Standard Zoom Lens Attached, or Handycam with Accessories</td></tr><tr><td>Dimensi</td><td> ○ External 17.5 x 18 x 14.5 cm (LHW) ○ Internal 16 x 16.5 x 11 cm (LHW) </td></tr><tr><td>Berat</td><td> ○ Min 0.2 Kg ○ Max 0.33 Kg ○ </td></tr></table>	Material	Aluminum	Maximum Height	158cm	Average Maximum Height	Up to 150cm	Minimum Height	55cm	Folded Length	61cm	Average Folded Length	Up to 60cm	Load Capacity	5kg	Average Load Capacity	Up to 5kg	Leg Sections	3	Independent Leg Spread	Yes	Spiked Feet	No	Weight	1.7kg	Kesesuaian /Kecocokan	Mirrorles Camera, Compact DSLR with Standard Zoom Lens Attached, or Handycam with Accessories	Dimensi	○ External 17.5 x 18 x 14.5 cm (LHW) ○ Internal 16 x 16.5 x 11 cm (LHW)	Berat	○ Min 0.2 Kg ○ Max 0.33 Kg ○		
Material	Aluminum																																	
Maximum Height	158cm																																	
Average Maximum Height	Up to 150cm																																	
Minimum Height	55cm																																	
Folded Length	61cm																																	
Average Folded Length	Up to 60cm																																	
Load Capacity	5kg																																	
Average Load Capacity	Up to 5kg																																	
Leg Sections	3																																	
Independent Leg Spread	Yes																																	
Spiked Feet	No																																	
Weight	1.7kg																																	
Kesesuaian /Kecocokan	Mirrorles Camera, Compact DSLR with Standard Zoom Lens Attached, or Handycam with Accessories																																	
Dimensi	○ External 17.5 x 18 x 14.5 cm (LHW) ○ Internal 16 x 16.5 x 11 cm (LHW)																																	
Berat	○ Min 0.2 Kg ○ Max 0.33 Kg ○																																	
3	Mic wireless clip on	- Output Impedance XLR connector: 200 Ω 1/4 inch connector: 1kΩ - Audio Output Level Ref. - +/- 33 kHz deviation with 1 kHz tone - XLR connector (into 100K Ω load): -19 dBV, typical - 1/4 inch connector (into 100K Ω load): -5 dBV, typical - Sensitivity-105 dBm for 12 dB SINAD, typical - Image Rejection 50 dB, typical - Power Requirements 12-18 Vdc at 160 mA . - Frekuensi transmitter : UHF Kelengkapan Paket : - 1 Wireless receiver UT 42 II - 1 pc handheld SM58 Wireless + 1 pc bodypack transmitter with 1 headset / clip on - AC Adaptor - Cables.	2 unit																															

NO	NAMA BARANG	SPESIFIKASI	QTY	HARGA SATUAN (Rp)	JUMLAH (Rp)																												
4	CCD Camera + Rotator	Spesifikasi Camera :<table><tr><td>Sensor</td><td>1/3-type 760H Super HAD CCD II</td></tr><tr><td>Efektif Pixel</td><td>440,000 pixels (752 x 582)</td></tr><tr><td>Resolusi</td><td>Horizontal resolution : 540 TV lines</td></tr><tr><td>TV / Sinyal Sistem</td><td>PAL standard</td></tr><tr><td>Min. Illumination</td><td>Minimum Illumination (50 IRE) - o Color: 0.15 lx (F1.2 AGC ON) - o B/W: 0.10 lx (F1.2 AGC ON) Minimum Illumination (30 IRE) - o Color: 0.08 lx (F1.2 AGC ON) - o B/W: 0.03 lx (F1.2 AGC ON) </td></tr><tr><td>White Balance</td><td>ATW (2000K to 10000K) ATW-pro (2500K to 6000K)</td></tr><tr><td>Lensa</td><td>CS MOUNT LENS</td></tr><tr><td>S/N Ratio (Signal to Noise)</td><td>More than 55 dB (AGC Off)</td></tr><tr><td>Shutter Speed</td><td>Fixed (1/50s, Default), Auto or 8 Fixed steps selectable</td></tr><tr><td>Daya / Power</td><td>AC24V ±10%, DC12V ±10%</td></tr><tr><td>Konsumsi Daya</td><td>1.4 W</td></tr><tr><td>Dimensi</td><td>117.6 x 63.2 x 57.2 mm</td></tr><tr><td>Berat</td><td>250 g</td></tr><tr><td>Lain-lain</td><td>Camera Features : Day/Night : Yes (Electrical D/N) Image Enhancement : Yes (ATR-Lite, on/off), Yes (iBLC, on/off) Noise Reduction : Yes (2DNR, on/off)</td></tr></table> Spesifikasi Rotator : - 4 way rotator - Camera Rotator - Motorized Drive - 180 Degree motorized rotation - Left/Right/Up/Down/Stop and Pan-Tilt Controller - DC 12V - Dimension: 12cm Kelengkapan Lainnya : - Kabel CCTV : 15 m - Kabel Power : 15 m - Kabel control Rotator tilt controller : 15 m - Instalasi	Sensor	1/3-type 760H Super HAD CCD II	Efektif Pixel	440,000 pixels (752 x 582)	Resolusi	Horizontal resolution : 540 TV lines	TV / Sinyal Sistem	PAL standard	Min. Illumination	Minimum Illumination (50 IRE) - o Color: 0.15 lx (F1.2 AGC ON) - o B/W: 0.10 lx (F1.2 AGC ON) Minimum Illumination (30 IRE) - o Color: 0.08 lx (F1.2 AGC ON) - o B/W: 0.03 lx (F1.2 AGC ON)	White Balance	ATW (2000K to 10000K) ATW-pro (2500K to 6000K)	Lensa	CS MOUNT LENS	S/N Ratio (Signal to Noise)	More than 55 dB (AGC Off)	Shutter Speed	Fixed (1/50s, Default), Auto or 8 Fixed steps selectable	Daya / Power	AC24V ±10%, DC12V ±10%	Konsumsi Daya	1.4 W	Dimensi	117.6 x 63.2 x 57.2 mm	Berat	250 g	Lain-lain	Camera Features : Day/Night : Yes (Electrical D/N) Image Enhancement : Yes (ATR-Lite, on/off), Yes (iBLC, on/off) Noise Reduction : Yes (2DNR, on/off)	2 unit		
Sensor	1/3-type 760H Super HAD CCD II																																
Efektif Pixel	440,000 pixels (752 x 582)																																
Resolusi	Horizontal resolution : 540 TV lines																																
TV / Sinyal Sistem	PAL standard																																
Min. Illumination	Minimum Illumination (50 IRE) - o Color: 0.15 lx (F1.2 AGC ON) - o B/W: 0.10 lx (F1.2 AGC ON) Minimum Illumination (30 IRE) - o Color: 0.08 lx (F1.2 AGC ON) - o B/W: 0.03 lx (F1.2 AGC ON)																																
White Balance	ATW (2000K to 10000K) ATW-pro (2500K to 6000K)																																
Lensa	CS MOUNT LENS																																
S/N Ratio (Signal to Noise)	More than 55 dB (AGC Off)																																
Shutter Speed	Fixed (1/50s, Default), Auto or 8 Fixed steps selectable																																
Daya / Power	AC24V ±10%, DC12V ±10%																																
Konsumsi Daya	1.4 W																																
Dimensi	117.6 x 63.2 x 57.2 mm																																
Berat	250 g																																
Lain-lain	Camera Features : Day/Night : Yes (Electrical D/N) Image Enhancement : Yes (ATR-Lite, on/off), Yes (iBLC, on/off) Noise Reduction : Yes (2DNR, on/off)																																

NO	NAMA BARANG	SPESIFIKASI		QTY	HARGA SATUAN (Rp)	JUMLAH (Rp)			
5	Komputer Editing	Platform	Desktop PC	1 unit					
		Tipe Prosesor	Intel Core-i7 Processor						
		Processor Onboard	Intel® Core™ i7-4770 Processor (3.90 GHz, Cache 8M)						
		Chipset	Intel® H81						
		Memori Standar	8 GB DDR3 PC-12800						
		Max. Memori	16GB (2 x 8GB)						
		Memori Slot	2						
		Tipe Grafis	NVIDIA GeForce GT640 4GB						
		Audio	Integrated SonicMaster 8 Channel Audio						
		Speaker	Integrated						
		Hard Drive	1TB Serial ATA, 7200RPM						
		Optical Drive	DVD±RW						
		Networking	Gigabit Ethernet						
		Kecepatan Jaringan	10 / 100 / 1000 Mbps						
		Keyboard	USB Keyboard						
		Ragam Input Device	USB Optical Mouse						
		Ragam Slot	1 x PCI-e x 1 1 x PCI-e x 16 1 x mini PCI-e						
		Ragam Card Reader	16 in 1 Media Reader						
		Antarmuka / Interface	- Front I/O Ports 2x USB 2.0 2x USB 3.0 1x Headphone 1x Microphone - Back I/O Ports 3x USB 2.0 1x HDMI-Out 1x VGA(D-Sub)-Out 1x RJ45 LAN 1x 8 Channel Audio						
		Sistem Operasi	Pre-sales Request Available						
		Chassis Form Factor	Tower ATX						
		Daya / Power	300 W						
		Dimensi	175 x 420 x 400 mm (WxHxD) 242 x 510 x 550 mm (WxHxD) with Carton						
		Berat	9.2 kg						
		Kelengkapan lainnya :							
		- Monitor LED 18 “							
- Keyboad									
- Optical mouse									
- UPS 600 VA / 360 W									
- DVR USB 4 channel + 2 audio									

NO	NAMA BARANG	SPESIFIKASI		QTY	HARGA SATUAN (Rp)	JUMLAH (Rp)
6	Kamera Digital BO	Model	APS-C Digital SLR	1 unit		
		Max. Resolusi Gambar	20.2 Megapixels			
		Sensor	CMOS, 22.5 x 15 mm			
		Image Processor	DIGIC 5+			
		Dust Reduction System	Yes			
		Ukuran Gambar	5472 x 3648 @ 3:2			
		Format Gambar	- Still Images: JPEG, RAW - Movies: MOV, MPEG-4 AVC/H.264 - Audio: Linear PCM (Stereo)			
		Video Recording	Yes, NTSC/PAL			
		Format Video	MOV, MPEG-4 AVC/H.264			
		Lens Mount	- Canon EF - Canon EF-S			
		Auto Fokus	Auto and Manual			
		Ragam Auto Fokus	Single-servo AF (S), Continuous-servo AF (C), Manual Focus (M)			
		Sistem Metering	Average metering, Center-weighted average metering, Partial Metering, Spot metering			
		AE Lock and AE Bracketing	Aperture Priority, Auto, Bulb, Custom, Flash Off, Manual, Programmed Auto, Shutter Priority			
		Exposure Compensation	-5 EV to +5 EV (in 1/2 or 1/3 EV steps)			
		ISO Sensitivity	Auto, 100-12800 (Extended Mode: 100-25600)			
		Shutter	30 - 1/8000 sec			
		White Balance	Auto, Cloudy, Color Temperature Filter, Custom, Daylight, Flash, Fluorescent (White), Shade, Sunset, Tungsten, Twilight			
		Viewfinder	- Viewfinder Type - Pentaprism - Viewfinder Coverage 98% - Viewfinder Magnification - Approx. 0.95x			
		LCD Monitor	3" Rear Touchscreen Swivel LCD			
		Internal Flash	Built-in Flash			
		External Flash	Hot Shoe			
		Live View	Yes			
		Playback	Yes			
		Media Penyimpanan	SD/SDHC/SDXC Memory Card			
		Konektivitas	1/8" Microphone - HDMI C (Mini) - USB 2.0			
		Sumber Daya	- Battery 1x LP-E6 Rechargeable Lithium-Ion Battery Pack, 7.2VDC, 1800mAh			
		Dimensi	5.5 x 4.1 x 3.1" / 139.0 x 104.3 x 78.5 mm			

NO	NAMA BARANG	SPESIFIKASI		QTY	HARGA SATUAN (Rp)	JUMLAH (Rp)
		Berat	1.66 lb / 755 g with battery and memory card			
		Kelengkapan Paket	• LP-E6 Rechargeable Lithium-Ion Battery Pack (7.2V, 1800mAh) • LC-E6 Charger for LP-E6 Battery Pack • IFC-400PCU USB Interface Cable • R-F-3 Camera Cover • Eyecup Eb • Wide Strap EW-EOS 70D • EOS Digital Solution Disk CD-ROM • EF-S 18-55mm f/3.5-5.6 IS STM Lens • Memory 32 Gb Micro SDHC, • Bag / tas kamera • Spesifikasi Bag : DSLR Camera with Battery grip and Mid Zoom Lens Attached, 3-5 Additional Lens and Flash or Handycam with Accessories External 32 x 21.5 x 19 cm (LHW) Internal 28 x 20.5 x 16.5 cm (LHW) Min 0.51 Kg Max 0.715 Kg			
7	Lensa	Fitur • Uses optics designed to take full advantage of the small image circle and short back focus in EF-S lenses • Features three aspherical lens elements (two types) as well as a Super-UD glass element for high image quality at all focal lengths • Optimized lens coating minimizing flare and ghosting prone occurring with digital cameras • Ring-type USM provides ultra-quiet, super-fast, precision auto focusing and predictive tracking • Circular aperture diaphragm for better, more natural looking background blurring Ukuran Filter 77mm Lens Mount Canon Kesesuaian Lensa Canon APS-C Lens Type Ultra Wide Zoom Image Stabilization No	1 Unit			

NO	NAMA BARANG	SPESIFIKASI	QTY	HARGA SATUAN (Rp)	JUMLAH (Rp)
		Lens Motor Yes Berat 385g Min. Jarak Fokus 0.24m / 0.79 ft. Jarak F Stop 3.5-4.5 Angle of View 107° 30' - 63° 30' Groups / Elements 10 / 13 Dimensi 83.5 x 89.8mm Kelengkapan Paket Lens Cap, Rear Cap			
8	Lampu Studio	Unit terdiri dari : - 2 Unit Lampu Studio 300w - 2 Unit Standard Reflector, - 2 Unit Payung Black/Silver - 2 Unit Lightstand Big Spesifikasi Lampu : - Flash Power (WS) 300W - Flash Index (GN) 58 - Fan 12V - Output Control Full to 1/8-Stepless Adjustment - Recycling Time (s) 2s - Modeling Light 150w - Flash Tiggering Methol - Color Temperatur 5600 k - Power Source 220v	1 Unit		
9	Smart Interactive Board	Ukuran Panel 1,036 x 1,842 mm (9:16, 83-inch diagonal) Jumlah Panel 1,175 x 1,845 mm Copy Area Power Supply ○ AC 100-240 V, 50/60 Hz Power Consumption ○ During Operation: 0.5 A (When power is OFF by the power switch: 0.2 W) Scanning Sensor 1,320 x 1,900 x 117 mm (H x W x D) Installed Printer 39 kg Resolusi Cetak Panel Surface ○ Melamine coated hardboard intervace ○ USB 2.0 (B-Type Connector) x 1 ○ USB 2.0 (A-Type Connector) x 2 Audio Input Level ○ 309 mVrms (1 kHz, 0 dB, 10 kΩ) Audio Output ○ 2W + 2W , CLOTH-EDGE CONE TYPE Speaker x 2 (90 mm x 50 mm (3.5 in. x 2.0 in. Wattage ○ Standard : 2 W + 2 W Maximum : 4 W + 4 W Sound Pressure ○ 85 dB ± 2 dB (1 m (39.4 in.) from the center of the body) Electronic Pen	1 Unit		

NO	NAMA BARANG	SPESIFIKASI	QTY	HARGA SATUAN (Rp)	JUMLAH (Rp)
		- Transmission System : GFSK - Electronic Pen Power : LR03 (AAA alkaline dry cell battery) x 1 - Electronic Pen Battery Life : 30 hours (when used continuously at 25°C [77°F]) , When using Panasonic LR03 alkaline dry-cell batteries Computer - IBM® PC/AT compatible with a DVD-ROM drive, Web browser CPU - Intel® Pentium® 4 processor or later operating system Windows® XP (SP3 or later) - Windows Vista® (SP2 or later) - Windows® 7*2 Memory 1 GB or more Hard Disk - At least 700 MB free space (except saving space for data file)*3 Accessories - Operating Instructions x 1 - Power Cord (3 m) x 1 - Electronic Pen x 1 - Battery (LR03 AAA alkaline battery) x 1 - USB Cable (5 m) x 1 - Software DVD-ROM x 1 - Penpoint (Replacement) x 1 - Wall Mounting Plate (Left, Right) x Total 2			
10	Video Mixer 4 chanel	4 Channel Analogue Vision Mixer - S-Video (Y/C) or Composite Video Inputs - Component YUV / S-Video (Y/C) / 2 x Composite Video Outputs 1 x Stereo (Unbalanced) 2 x Microphone Inputs - Stereo (Unbalanced) Output - Quad View display output - Tally Display - Preview output - Smooth T-bar Control 4 channel TBC 4:2:2 Frame Synchroniser - Tally Light Output	1 unit		
Jumlah					
PPN 10 %					
Jumlah Biaya					
Terbilang					

NB :
* Harga sudah termasuk pajak
* Mohon dicantumkan spesifikasi lengkap



